

Highspeed SL | 0.50 m

Product number D1C33000
Weight 0.106kg
Length 35mm
Width 145mm
Height 250mm



Product description

The Highspeed SL HDMI cable ensures easy installation and stable, high quality signal transmission in a home cinema setup. The rugged plastic sheathing with OFC (oxygen-free copper) inner conductor, the triple shielding element and the 24-carat gold-plated contacts ensure a flawless connection between the source and playback device. Perfectly suited for resolutions up to Ultra HD, 3D signals and high-definition sound formats, the Highspeed SL also offers ARC and HDMI Ethernet support, as well as advanced colour spaces and HDMI-CEC functionality.

Footer Reihe 1 Footer Reihe 2 Footer Reihe 3



Product properties

Inner conductor

OFC - oxygen-free copper

material

Product Category HDMI cable

Features 24kt gold plated contacts, 30 years warranty**

Audio format DTS-HD Master Audio, Dolby True HD, DTS:X, DTS HD, Dolby Digital Plus, DTS, Dolby Atmos

x.v.Color - Additional Color Space Lizenzen

cable material plastic

HDMI Features High-Speed-HDMI®-cable, HEC - HDMI® with Ethernet channel, 30/36/48-bit Deep Color, 32 digital audio

channels, CEC 2.0, 3D TV, 3D TV at 4 K resolution, ARC - Audio Return Channel, 18 GBit/s data rate, Dolby

Vision, HDR - High Dynamic Range Image

Plug type 2 **HDMI** Colour Anthracite **Shielding** triple shielding **Quality level** Performance

Surface condition 24 carat gold-plated contacts

Shielding construction 2 x aluminium foil + 1 x copper braiding

cable length

50 cm Connection type Audio, Video Signal direction IN/OUT

Screen resolution 4K UHD 50/60 Hz

HDMI Plug type 1 Transmission rate 18 Gbps cable geometry Round



More images

